


## [Futurity: Discover the Future](#)

- [Earth & Environment](#)
- [Health & Medicine](#)
- [Science & Technology](#)
- [Society & Culture](#)

**[Science & Technology](#)** - *Posted by [Layne Cameron-Michigan State](#) on Friday, July 22, 2011 12:40 - [0 Comments](#)*  (No Ratings Yet)

# Songbird ‘cologne’ drives females wild



Songbirds have been written off in terms of using their sense of smell because they have the smallest olfactory bulbs relative to brain size, but recently, they have been found to harbor a high number of olfactory receptors. (Credit: BEACON)

**MICHIGAN STATE (US)** — Like teenage boys dousing themselves with body spray to woo girls, male songbirds deploy a similar tactic when they release preen oil from a gland at the base of their tail.

4 tweets [Share](#)

retweet

0

Scents are used in all organisms for a variety of purposes, including finding, attracting, and evaluating mates. Smaller male songbirds will even release more scent to compensate for their small stature.


“It’s kind of like the ‘Axe effect,’ in that females were attracted to the scent and didn’t seem to care where it came from, meaning their own population or a different one—even though birds in these populations look and behave differently,” says Danielle Whittaker of [Michigan State University](#).

---

**Straight from the Source** “And I think the males were drawn

**Share this article**

Email Print



**Republish this article**



The text of this article by Futurity is

[Read the original study](#)

DOI: 10.1093/behecol/arr122

in as an aggressive response to the scent of another male.”

In the past, songbirds have been written off in terms of using their sense of smell because they have the smallest olfactory bulbs relative to brain size among all birds. But recently, songbirds have been found to harbor a high number of olfactory receptors, and are capable of using odors to help find their way.

Whittaker was surprised by the study results, published in the journal [Behavioral Ecology](#), that show how attractive scent was across populations and sexes and that females initially—but only temporarily—preferred the odor of smaller males.

“When they got to see the actual birds, they tended to prefer larger males with larger plumage ornaments,” she says. “I’m hoping to find out how and why small, unattractive males overcompensate by producing greater amounts of an attractive scent.”

Researchers from Indiana University contributed to the study.

More news from Michigan State University: <http://news.msu.edu/>

(Viewed 93 times)

Tags: [animals](#), [biochemistry](#), [mating](#), [Michigan State University](#), [ornithology](#), [scent](#), [songbirds](#)

## Leave a Comment

Name - required

Email - required, never published

Website


Comment

licensed under a [Creative Commons Attribution-No Derivatives License](#).

## More Science & Technology




**The ‘new’ rules all parasites follow**



**20 nm Quantum dots leak toxic guts**



**Proteins may pave way to cow vaccine**



**Bilingual kids tune into right stuff**



Post

Notify me of followup comments via e-mail

SEARCH FUTURITY

Research news from top universities in the US, UK, and Canada

## Futurity E-News



Email Address

## You Tube Videos



[Birds can do it. \(So can brainy lizards\)](#)

*Duke University*

## Follow Futurity



## Mobile Apps



[iPhone](#)  
[Blackberry](#)  
[Android](#)

## Browse By School

## Partner Sites



## Week's Most Discussed

- [Low-cost way to heat chilly rooms](#) (3 comments this week)
- [Gay marriage ban linked to HIV infection rates](#) (2 comments this week)
- [Spotting gun dealers gone bad](#) (2 comments this week)

## Recent Comments

- [If they \(you\) don't have joy in their \(your\)...](#)Said sushanta on July 25, 2011 6:28 am
- [This is fascinating, for sure but I...](#)Said Shailesh Kumar on July 24, 2011 10:08 pm
- [Respite for caregivers is essential in...](#)Said Todd Harrel on July 24, 2011 4:37 pm

## Popular Tags

[agriculture](#) [animals](#) [astronomy](#) [bacteria](#) [behavior](#) [biochemistry](#) [biology](#) [biomedical engineering](#)  
[brain](#) [cancer](#) [chemistry](#) [climate change](#) [cognition](#) [computer science](#) [depression](#) [DNA](#) [ecology](#) [economics](#)  
[electrical engineering](#) [environmental sciences](#) [epidemiology](#) [evolutionary biology](#) [genetics](#)  
[geology](#) [global warming](#) [immune system](#) [materials science](#) [microbiology](#) [molecular biology](#) [nanotechnology](#) [NASA](#)  
[nature](#) [neurology](#) [neuroscience](#) [nutrition](#) [obesity](#) [pediatrics](#) [physics](#) [plants](#) [proteins](#) [psychiatry](#)  
[psychology](#) [public health](#) [public policy](#) [sociology](#)

© 2009-2011 Futurity.org. All Rights Reserved. Sign up for [entries RSS](#) and for the [comments RSS](#).

[About Futurity](#)